

HD03 Bibliography



U l t r a s o u n d D i l u t i o n T e c h n o l o g y

Lopot F et al, "Comparison of Different Techniques of Hemodialysis Vascular Access Flow Evaluation," *Int J Artif Org* 2003; 12:1055-1063. (HD372A)

Work J, "Vascular Access Surveillance with Angioplasty: A Halfway Technology?" *Endovascular Today*, June 2013. (HD9812R)

Garland JS et al, "Are Hemodialysis Access Flow Measurements by Ultrasound Dilution the Standard of Care for Access Surveillance?" *Adv Renal Replacement Ther* 2002; 9(2): 91-98. (HD263A)

Spergel L et al, "Elevated Static Intra-access Pressure Ratio Does Not Correlate with Access Flow (AF)," *Kidney Int* 2004; 66: 1512-1516. (HD382A)

Huang SH et al, "Is There a Necessity for Individual Blood Water Corrections When Conductivity-based Access Blood Flow Measurements Are Made? *Blood Purif* 2011; 32(3): 174-80.

Magnasco A et al, "Clinical Validation of Glucose Pump Test (GPT) Compared with Ultrasound Dilution Technology in Arteriovenous Graft Surveillance," *Nephrol Dial Transplant* 2004; 19: 1835-1841. (HD377A)

Schwab SJ et al, "Multicenter Clinical Trial Results with the LifeSite Menodialysis Access System," *Kidney Int* 2002; 62(3): 1026-1033. (HD297A)

Weitzel WF et al, "Analysis of Variable Flow Doppler Hemodialysis Access Flow Measurements and Comparison with Ultrasound Dilution," *Am J Kid Dis* 2001; 38(5): 935-940. (HD247A)

Zanen AL et al, "Flow Measurements in Dialysis Shunts: Lack of Agreement between Conventional Doppler, CVI-Q, and Ultrasound Dilution," *Nephrol Dial Transplant* 2001; 16(2): 395-399. (HD244A)

Sands J, "Critical Review of Flow Measurement Methods." *Angioaccess for Hemodialysis, 2nd International Multidisciplinary Symposium* 1999; 79-81. (HD105A)

Mercadal L et al, "Determination of Access Blood Flow from Ionic Dialysance: Theory and Validation," *Kidney Int* 1999; 56(4): 1560-1565. (HD46V)

Weitzel WF et al, "Retrograde Hemodialysis Access Flow during Dialysis as a Predictor of Access Pathology," *Am J Kid Dis* 2001; 37(6) 1241-1246. (HD187A)

Schwarz C, et al, "Flow Monitoring: Performance Characteristics of Ultrasound Dilution Versus Color Doppler Ultrasound Compared with Fistulography," *Am J Kid Dis* 2003; 42(3): 539-545. (HD315A)

Numbers in parentheses () are Transonic Reference #s.

HD03 Hemodialysis Surveillance

Vascular Access Patency

Validations and Methodology of Vascular Access Flow Measurement

- Krivitski NM, "Theory and Validation of Access Flow Measurement by Dilution Technique during Hemodialysis," *Kid Int* 1995; 48(1): 244-250. (HD1T)
- Krivitski NM, "Novel Method to Measure Access Flow during Hemodialysis by Ultrasound Velocity Dilution Technique," *ASAIO J* 1995; 41(3): M741-M745. (HD4T)
- Krivitski NM, MacGibbon D, Gleed RD, Dobson A, "Accuracy of Dilution Techniques for Access Flow Measurement During Hemodialysis," *Am J Kid Dis* 1998; 31(3): 502-508. (HD31V)
- Krivitski NM, Depner TA, "Development of a Method for Measuring Hemodialysis Access Flow: From Idea to Robust Technology," *Sem Dial* 1998; 11(2): 124-130. (HD7T)
- Depner TA, Krivitski NM, "Clinical Measurement of Blood Flow in Hemodialysis Access Fistulae and Grafts by Ultrasound Dilution," *ASAIO J* 1995; 41(3): M745-M749. (HD7V)
- Sands JJ et al, "Hemodialysis Access Flow Measurement-Comparison of Ultrasound Dilution and Duplex Ultrasonography," *ASAIO J* 1996; 42(5): M899-M901. (HD14V)
- Bosman PJ et al, "Access Flow Measurements in Hemodialysis Patients: In Vivo Validation of an Ultrasound Dilution Technique," *J Am Soc Nephrol* 1996; 7: 966-969. (HD23V)
- Gleed RD et al, "Validation in the Sheep of An Ultrasound Dilution Technique for Haemodialysis Graft Flow," *Nephrol Dial Transplant* 1997; 12(7) 1464-1467. (HD24V)
- May RE et al, "Predictive Measures of Vascular Access Thrombosis: A Prospective Study," *Kid Int* 1997; 52(6) 1656-1662. (HD42A)
- Sands JJ et al, "Access Flow Measured during Hemodialysis," *ASAIO J* 1996; 42(5): M530-M532. (HD6A)
- Lindsay RM et al, "A Comparison of Methods for the Measurement of Hemodialysis Access Recirculation and Access Blood Flow Rate," *ASAIO J* 1998; 44(1): 62-7. (HD44A)
- Schneditz D, Wang E, Levin NW, "Validation of Haemodialysis Recirculation and Access Blood Flow Measured by Thermodilution," *Nephrol Dial Transplant* 1999; 14(2): 376-383. (HD86A)
- Besarab A, "Preventing Vascular Access Dysfunction: Which Policy to Follow," *Blood Purif* 2002; 20(1): 26-35. (HD253A)
- Leyboldt JK, "Standards for Reproducible Access Flow Measurement," *Blood Purif* 2002; 20(1): 20-5. (Trasonic Reference # HD254A)
- Lindsay RM, Leyboldt JK, "Monitoring Vascular Access Flow," *Adv Ren Replace Ther* 1999; 6(3): 273-7. (HD97A)
- Besarab A et al, "Effects of Systemic Hemodynamics on Flow within Vascular Accesses Used for Hemodialysis," *ASAIO J*. 2001; 47(5): 501-6. (HD237A)
- Garland JS et al, "Are Hemodialysis Access Flow Measurements by Ultrasound Dilution the Standard of Care for Access Surveillance?" *Adv Renal Replacement Ther* 2002; 9(2): 91-98. (HD263A)
- Lok CE et al, "Reducing Vascular Access Morbidity: A Comparative Trial of Two Vascular Access Monitoring Strategies," *Nephrol Dial Transplant* 2003; 18:1174-1180. (HD306A)
- Zanen AL et al "Flow Measurements in Dialysis Shunts: Lack of Agreement between Conventional Doppler, CVI-Q, and Ultrasound Dilution," *Nephrol Dial Transplant* 2001; 16: 395-399. (HD244A)
- Vanholder R, "Vascular Access: Care and Monitoring of Function," *Nephrol Dial Transplant* 2001; 16: 1542-1545. (HD381A)

Predictive Power of Access Flow Measurements

- Tessitore N et al, "In Search of An Optimal Bedside Screening Program for Arteriovenous Fistula Stenosis," *Clin J Am Soc Nephrol* 2011; 6(4): 819-261. (HD9816A)
- Tessitore N et al, "Adding Access Blood Flow Surveillance to Clinical Monitoring Reduces Thrombosis Rates and Costs, and Improves Fistula Patency in the Short Term: a Controlled Cohort Study," *Nephrol Dial Transplant* 2008; 23(11): 3578-84. (HD7639A)
- Tessitore N et al, "The Role of Surveillance in Mature Arteriovenous Fistula Management," *J Vasc Access* 2004; 5(2): 57-61. (HD7232A)
- Singh N et al, "Comparison of Access Blood Flow and Venous Pressure Measurements as Predictors of Arteriovenous Graft Thrombosis," *J Vasc Access* 2006; 7: (HD7239A)
- Tonelli M et al, "Access Flow in Arteriovenous Accesses by Optodilutional and Ultrasound Dilution Methods," *Am J Kidney Dis* 2005; 46(5): 933-7.
- Polkinghorne KA et al, "Determinants of Native Arteriovenous Fistula Blood Flow," *Nephrology* 2004; 9: 205-211. (HD413A)
- Chin AI et al, "Intra-access Blood Flow in Patients with Newly Created Upper-arm Arteriovenous Native Fistulae for Hemodialysis Access," *Am J Kidney Dis* 2004; 44(5): 850-8. (HD414A)
- Lopot F et al, "Vascular Access Monitoring: Methods and Procedures—Something to Standardize?" *Blood Purif* 2005; 23(1): 36-44.
- Sands JJ, "Vascular Access Monitoring Improves Outcomes," *Blood Purif* 2005; 23(1): 45-9. (HD419A)
- Lopot F et al, "Vascular access quality monitoring," *EDTNA ERCA J*. 2003; 29(2): 77-84. (HD421A)
- Tessitore N et al, "Can Blood Flow Surveillance and Pre-emptive Repair of Subclinical Stenosis Prolong the Useful Life of Arteriovenous Fistulae? A Randomized Study. *Nephrol Dial Transplant* 2004; 19: 2325-2333. (HD407A)
- Krivitski NM, "Access Flow Measurements during Surveillance and Percutaneous Transluminal Angioplasty Intervention," *Sem Dial* 2003; 16(4): 304-308. (HD311A)
- Tessitore N et al, "Diagnostic Accuracy of Ultrasound Dilution Access Blood Flow Measurement in Detecting Stenosis and Predicting Thrombosis in Native Forearm Arteriovenous Fistulae for Hemodialysis," *Am J Kidney Dis* 2003; 42(2): 331-41. (HD368)

The Gold Standard

Dialysis Adequacy

Zero Vascular Access Recirculation - A New Reality

Krivitski NM, Depner TA, "Development of a Method for Measuring Hemodialysis Access Flow: From Idea to Robust Technology," *Sem Dial* 1998; 11(2): 124-130. (HD7T)

Depner TA, Krivitski NM, MacGibbon D, "Hemodialysis Access Recirculation (Rc) Measured by Ultrasound Dilution," *ASAIO J* 1995; 41(3): M749-M753. (HD6V)

Kapoian T et al, "Validation of a Revised Slow-stop Recirculation Method," *Kid Int* 1997; 52(3): 839-842. (HD20V)

Alloatti S et al, "Measurement of Vascular Access Recirculation Unaffected by Cardiopulmonary Recirculation: Evaluation of an Ultrasound Method," *Nephron* 1999; 81(1) 25-30. (HD35V)

MacDonald J et al, "Identifying A New Reality: Zero Vascular Access Recirculation Using Ultrasound Dilution," *ANNA J* 1996; 23(6): 603-608. (HD4A)

Twardowski ZJ et al, "All Currently Used Measurements of Recirculation in Blood Access by Chemical Methods are Flawed Due to Intradialytic Disequilibrium or Recirculation at Low Flow," *Am J Kid Dis* 1998; 32(6): 1046-1058. (HD84A)

Sands J, Krivitski NM, "Access Recirculation in Hemodialysis," *Vascular Access for Hemodialysis—V*, Chapter 28, W.L. Gore & Associates, Inc., Precept Press, M.L. Henry, R.M. Ferguson, eds, 263-267, 1997. (HD9A)

Schneditz D, "Recirculation, a Seemingly Simple Concept," *Neph Dial Transplant* 1999; 13(9): 2191-2193. (HD3E)

Lindsay RM et al, "A Comparison of Methods for the Measurement of Hemodialysis Access Recirculation and Access Blood Flow Rate," *ASAIO J* 1998; 44: 62-67. (HD44A)

Discrepancy between Prescribed and Delivered Pump Flow (Qb) in the Vascular Access

Evanson JA et al, "Measurement of the Delivery of Dialysis in Acute Renal Failure," *Kid Int* 1999; 55(4): 1501-1508. (HD87A)

Smits JHM, Blankestijn PJ, "Thrombosis-Free Hemodialysis Grafts: A Possibility for the Next Century," *Sem Dial* 1999; 12(1): 44-49. (HD85A)

Sands JJ et al, "Difference between Delivered and Prescribed Blood Flow (QB) in Hemodialysis," *ASAIO J* 1996; 42(5): M717-M719. (HD5A)

Depner TA et al "Pressure Effects on Roller Pump Blood Flow during Hemodialysis," *ASAIO Transactions* 1990; 36(3): M456-M459. (HD10A)

Kelber J et al, "Factors Affecting Delivery of High-Efficiency Dialysis Using Temporary Vascular Access," *Am J Kid Dis* 1993; 22(1): 24-29. (HD19A)

Mankus RA et al, "Comparison of Blood Flow Rates and Hydraulic Resistance between the Mahurkar Catheter, the Tesio Twin Catheter, and the Ash Split Catheter," *ASAIO* 1998; 44(5): M532-534. (HD77A)

Teruel JL et al, "Differences between Blood Flow "Differences between Blood Flow as Indicated by the Hemodialysis Roller Pump & Blood Flow Measured by an Ultrasonic Sensor," *Nephron* 2000; 85(2): 142-147. (HD145A)

Ward RA, "Blood Flow Rate: An Important Determinant of Urea Clearance and Delivered Kt/V," *Adv Ren Replace Ther* 2001; 6(1): 75-79. (HD193A)

Ouseph R et al, "Increasing Dialysate Flow Rate Increases Dialyzer Urea Mass Transfer-Area Coefficients during Clinical Use," *Am J Kid Dis* 2001; 37(2): 316-320. (HD194A)

Goldstein SL et al, "Proactive Monitoring of Pediatric Hemodialysis Vascular Access: Effects of Ultrasound Dilution on Thrombosis Rates," *Kid Int* 2002; 62(1): 272-275. (HD261A)

Mehta HK et al, "Correction of Discrepancy Between Prescribed and Actual Blood Flow Rates in Chronic Hemodialysis Patients with Use of Larger Gauge Needles," *Am J Kid Dis* 2002; 39: 1231-1235. (HD262A)

Catheter Recirculation and Delivered Flow

Twardowski ZJ et al, "All Currently Used Measurements of Recirculation in Blood Access by Chemical Methods are Flawed Due to Intradialytic Disequilibrium or Recirculation at Low Flow," *Am J Kid Dis* 1998; 32(6): 1046-1058. (HD84A)

Twardowski ZJ et al, "Measurements of Hemodialysis Catheter Blood Flow in Vivo," *Int J Artif Organs* 2002; 25: 276-280. (HD9815A)

Little MA et al, "Access Recirculation in Temporary Hemodialysis Catheters as Measured by the Saline Dilution Technique," *Am J Kid Dis* 1998; 36(6): 1135-1139. (HD171A)

van Heijst AF et al, "Recirculation in Double Lumen Catheter Venovenous Extracorporeal Membrane Oxygenation Measured by an Ultrasound Dilution Technique," *ASAIO J* 2001; 47:372-376. (HD379A)

Leblanc M et al, "Effective Blood Flow and Recirculation Rates in Internal Jugular Vein Twin Catheters: Measurement by Ultrasound Velocity Dilution," *Am J Kid Dis* 1998; 31(1): 87-92. (HD43A)

Leblanc M et al, Central Venous Catheter Dysfunction, " *Advances in renal Replacement Therapy* 1997; 4(4): 377-389. (HD45A)

Mankus, R.A., Ash, S.R., Sutton, J.M., "Comparison of Blood Flow Rates and Hydraulic Resistance between the Mahurkar Catheter, the Tesio Twin Catheter, and the Ash Split Catheter," *ASAIO J* 1998; 44(5): M532-M534. (HD77A)

Hachicha M et al, "Access Recirculation in Tunneled Catheters: Normal Versus Reversed Lines: Measurement by Ultrasound Velocity Dilution," *JASN Abstr* 2001; 12: 289A, A1486. (HD211A)

Trerotola SO et al, "Randomized Comparison of Split Tip Vs Step Tip High Flow Hemodialysis Catheters," *JASN Abstr* 2001; 12: 305A, A1568. (HD211A)

Level C et al, "Performance of Twin Central Venous Catheters: Influence of the Inversion of Inlet and Outlet on Recirculation," *Blood Purif* 2002; 20,(2): 82-188. (HD9832A)

C a r d i a c F u n c t i o n

Methodology, Validations, Applications

Krivitski NM, Depner TA, "Cardiac Output and Central Blood Volume during Hemodialysis: Methodology," *Adv Ren Replace Ther* 1999; 6(3): 225-232. (HD8T)

Krivitski NM et al, "Measurement of Cardiac Output and Central Blood Volume during Hemodialysis: Sources of Error," 25th Int Congress of Nephrology Abstract 1999; 333. (HD95A)

Nikiforov UV et al, "Validation of a New Method to Measure Cardiac Output during Extracorporeal Detoxification," *ASAIO J* 1996; 42(5) M903-M905. (HD15V)

Kislouchine VV, Dean DA, "Validation of a Novel Ultrasound Dilution Method to Measure Cardiac Output during Hemodialysis," *ASAIO J* 1996; 42(5): M906-M907. (HD16V)

Pandeya S, Lindsay RM, "The Relationship between Cardiac Output and Access Flow during Hemodialysis," *ASAIO J* 1999; 45(3) 135-138. (HD89A, HD74, HD50A)

Prakash S et al, "Central, Peripheral and Other Blood Volume Changes during Hemodialysis," *ASAIO J* 2002; 48(4): 379-382. (HD264A)

Rivera R et al, "Cardiac and Hemodynamic Response to Standard Bicarbonate Hemodialysis," 9th European Meeting on Cardionephrology, 2002; 345-348. (HD302A)

MacRae JM et al, "Arteriovenous Fistula-Associated High-Output Cardiac Failure: A Review of Mechanisms," *Am J Kidney Dis* 2004; 43(5):17-22. (HD408A)

MacRae JM, "Vascular Access and Cardiac Disease: Is There a Relationship?" *Curr Opin Nephrol Hypertens* 2006; 15(6):577-82. (HD7382A)

MacRae JM et al, "The Cardiovascular Effects of Arteriovenous Fistulas in Chronic Kidney Disease: A Cause for Concern?" *Sem in Dialysis* 2006; 19(15): 349-352. (HD7337A)

Ondocin PT et al, "The Influence of Beta Blockade on Autonomic Neuropathy and Cardiovascular Function in Patients on Hemodialysis (HD)," *J Am Soc of Nephrol Abstr* 2001; A2084. (HD243A)

Tucker T et al, "Central Hemodynamic Profiling (CHP) during Outpatient Hemodialysis (HD)," *J Am Soc of Nephrol Abstr* 2002; 13: 209A. (HD268A)

Tucker T et al, "Unrecognized Deterioration of Cardiac Function during Hemodialysis," *J Am Soc of Nephrol Abstracts* 2002; 13: 213A. (HD267A).

Locatelli F et al, "Cardiovascular Disease in Chronic Renal Failure; the Challenge Continues," *Nephrol Dial Transplant* 2000; 15(Suppl 5): 69-80. (HD9643R)

Bleyer AJ et al, "Characteristics of Sudden Death in Hemodialysis Patients," *Kidney Int.* 2006; 69(12): 2268-73. (HD9831R)

Nikiforov UV et al, "Validation of a New Method to Measure Cardiac Output during Extracorporeal Detoxification," *ASAIO J* 1996; 42: M903-M905. (HD15V)

Leypoldt JK, Lindsay RM, "Hemodynamic Monitoring during Hemodialysis," *Adv in Ren Replacement Therapy* 1999; 6: 233-242. (HD239A)

Huu TC et al, "Access Flow (Qac) and Cardiac Output (CO) Measurements by Non-Invasive Methods in Hemodialysed Patients," *Angioaccess for Hemodialysis, 2nd International Multidisciplinary Symposium* 1999; 170. (HD108A, HD34V, HD129A)

Barril G et al, "Vascular Access (VA) Assessment by Dilutional Methodology (Transonic QC)," *J Am Soc Nephrol* 1999; 10: 201A. (HD42V)

Schneditz D et al, "Systematic Underestimation of Cardiac Output by Thoracic Bioimpedance in Hemodialysis Patients: Relation to Access Blood Flow," *J Am Soc of Nephrol Abstr* 1999; 10: 217A. (HD131A)

Depner TA et al, "Contraction of Central Blood Volume and Reduced Cardiac Index in Hemodialyzed Diabetic Patients," *J Am Soc of Nephrol Abstr* 2000; 11(3): 263A. (HD154A)

Dobson A et al, "Cardiac End Diastolic Blood Volume from Cardiac Output during Hemodialysis," *J Am Soc of Nephrol Abstr* 2000; 11(3): 264. (HD155A)

Harish D et al, "The Influence of an Angiotensin Converting Enzyme Inhibitor (ACEI) on Autonomic Neuropathy and Cardiovascular Function in Patients on Hemodialysis (HD)," *J Am Soc of Nephrol Abstr* 2001; A1964. (HD240A)



www.transonic.com

Transonic Systems Inc. is a global manufacturer of innovative biomedical measurement equipment. Founded in 1983, Transonic sells "gold standard" transit-time ultrasound flowmeters and monitors for surgical, hemodialysis, pediatric critical care, perfusion, interventional radiology and research applications. In addition, Transonic provides pressure and pressure volume systems, laser Doppler flowmeters and telemetry systems.

AMERICAS

Transonic Systems Inc.
34 Dutch Mill Rd
Ithaca, NY 14850
U.S.A.
Tel: +1 607-257-5300
Fax: +1 607-257-7256
support@transonic.com

EUROPE

Transonic Europe B.V.
Business Park Stein 205
6181 MB Elsloo
The Netherlands
Tel: +31 43-407-7200
Fax: +31 43-407-7201
europe@transonic.com

ASIA/PACIFIC

Transonic Asia Inc.
6F-3 No 5 Hangsiang Rd
Dayuan, Taoyuan County
33747 Taiwan, R.O.C.
Tel: +886 3399-5806
Fax: +886 3399-5805
support@transonicasia.com

JAPAN

Transonic Japan Inc.
KS Bldg 201, 735-4 Kita-Akitsu
Tokorozawa Saitama
359-0038 Japan
Tel: +81 04-2946-8541
Fax: +81 04-2946-8542
info@transonic.jp